

# WHITEBOARD OWL

Bring remote participants into the discussion with the Whiteboard Owl™ camera, our dedicated whiteboard camera that live-streams and enhances content for better engagement and participation for all.



## KEY BENEFITS

- Delivers more inclusive and collaborative hybrid meetings and classes by leveraging your in-room whiteboard
- Enhances whiteboard visibility and makes presenter transparent for remote participants with Whiteboard Enhance, which ensures writing can always be viewed
- Makes meetings and classes run seamlessly with included magnetic tags to quickly switch between the Meeting Owl and the Whiteboard Owl
- Automatically captures whiteboard content to share with participants so collaboration can continue when the meeting is over

## REQUIREMENTS

1. Meeting Owl Pro or 3
2. In-room non-glass whiteboard and markers
3. Computer or Meeting HQ

Supports whiteboard enhancement, automatic whiteboard content capture, and ongoing computer vision software enhancements



Pairs with Meeting Owl  
(Pro or 3)

[Learn More](#)




Our teachers loved the Whiteboard Owl, particularly our math teachers who were lost without the whiteboard during the previous school year. Students liked being able to still see the teacher while they were writing on the board with the Whiteboard Enhance feature.

— KENNETH COAKLEY, DIRECTOR OF TECHNOLOGY, THE PENNINGTON SCHOOL

[READ CASE STUDY](#) ↗



Remote participant view



Whiteboard Capture portal

## FROM OWL LABS, FEATURED IN

The New York Times

WIRED

The Boston Globe

WSJ

Forbes

INSIDER

USA TODAY

FAST COMPANY

TECHCRUNCH

## PAIRS WITH THE AWARD-WINNING MEETING OWL



reddot winner 2020


[Learn More](#)

## Setup made simple

1. Place the Whiteboard Tags in the top-left and bottom-right corners of the whiteboard.
2. Mount your Whiteboard Owl to the wall, ceiling, or tripod 7-16 feet (2-5 meters) from the whiteboard
3. Connect your Whiteboard Owl to power.
4. Open the Meeting Owl App to set up your Whiteboard Owl and pair it with your Meeting Owl.
5. Once you start a meeting, engage the Whiteboard Owl by turning over a magnetic tag.
6. To access whiteboard content, open [share.owllabs.com](https://share.owllabs.com) and enter the passphrase that appears on the Meeting Owl Stage view. From there, whiteboard content can be viewed and downloaded during the meeting.




## Setup options



Wall mount



Ceiling



Tripod

# Whiteboard Owl™ Specifications

WHITEBOARD OWL

**OWL LABS®**

Camera	Dimensions	Power Supply	Connection
<p><b>Pixel Resolution:</b> 4208 x 3120</p> <p><b>Output Resolution:</b> 1080p</p> <p><b>Horizontal Field of View:</b> 68°</p>	<p><b>Size:</b> 5" H x 5.25" W (13cm H x 13.5cm W)</p> <p><b>Weight:</b> 0.75 lbs (0.35 kg)</p>	<p><b>AC Input:</b> 100–240V, 50/60Hz, 0.5A</p> <p><b>DC Output:</b> 12V, 1A</p>	<p>WiFi</p>
			<p><b>Warranty</b></p>
			<p>2-year warranty</p>

## USAGE

Activation	Software	Compatibility	Security
<p>Magnetic tag flip</p> <p>Meeting Owl app</p>	<p><b>Content Capture:</b> View and download high-res whiteboard images during the meeting</p> <p><b>Whiteboard Enhancement:</b> Automatically improves whiteboard visibility with increased clarity, reduced glare, and shadow removal</p> <p><b>Presenter Transparency:</b> Presenters are made transparent so remote participants can see writing on the whiteboard at all times</p>	<p><b>Video Conferencing:</b> Zoom, Google Meet, Slack, GoToMeeting, Microsoft Teams, and more</p> <p><b>Whiteboards:</b> Non-glass whiteboards up to 15' x 20' from maximum recommended distance of 16'</p>	<p><b>Whiteboard Images:</b> Whiteboard Capture images are only accessible for up to 2 hours after the meeting has ended.</p> <p><b>Software Updates:</b> Over-the-air software updates are downloaded from Owl Labs' secure servers.</p> <p><a href="#">Full security details</a></p>

## SETUP

What's Included	Setup	Requirements
<p>Power cord</p> <p>2 magnetic Whiteboard Tags</p> <p>Drywall screws and anchor</p> <p>2 adhesive mounting strips</p> <p>Quick Start Guide</p>	<p><b>Placement:</b> 7-16 feet (2-5 meters) from the whiteboard</p> <p><b>Mounting Options:</b> Wall-mount, tripod-mount, or ceiling-mount</p>	<p>Meeting Owl Pro or 3</p> <p>Non-glass whiteboard</p>

